



**CHICKASAW COUNTY ENGINEER**

COURTHOUSE, 8 E. PROSPECT  
PO BOX 316, NEW HAMPTON, IOWA 50659-0316  
PHONE: 641-394-2321, FAX: 641-394-5280  
WEBSITE: chickasawcounty.iowa.gov

**PERMIT FOR TILE CROSSING SECONDARY ROADS IN THE PUBLIC RIGHT-OF-WAY IN  
CHICKASAW COUNTY, IOWA**

I, \_\_\_\_\_ (Landowner) hereby request permission to tile across a Secondary Road in  
Chickasaw County located \_\_\_\_\_ feet N S E W (circle direction) of the \_\_\_\_\_ Corner of Section \_\_\_\_\_, Township  
\_\_\_\_\_, Range \_\_\_\_\_. (Please attach a map)

Additional Description (Road Name/Distance from nearest intersection/etc.): \_\_\_\_\_  
\_\_\_\_\_

Landowner Mailing Address: \_\_\_\_\_

Landowner Phone Number: \_\_\_\_\_

Landowner Email: \_\_\_\_\_

Contractor: \_\_\_\_\_ (Please Attach Contractor Proof of Insurance)

Contractor Mailing Address: \_\_\_\_\_

Contractor Phone Number: \_\_\_\_\_

Contractor Email: \_\_\_\_\_

Anticipated date of construction: \_\_\_\_\_

Size of connecting tile: Inlet \_\_\_\_\_ Outlet \_\_\_\_\_ Crossing Pipe \_\_\_\_\_

Proposed Crossing Pipe Material Type: \_\_\_\_\_

Estimated cost of installation: \_\_\_\_\_ feet as \$ \_\_\_\_\_ per foot equals \$ \_\_\_\_\_ total.

**SPECIFICATIONS**

1. Crossings under paved roads shall be bored. Crossings under granular surfaced roads may be open trenched. Applicant shall compact backfill, remove excess material, reshape, and reseed all areas disturbed to restore the original condition of the Right of Way.
2. For open trenched crossings, the full width of the roadbed shall be backfilled in lifts of 8 inches or less, with suitable material and proper compaction effort. The top one (1) foot of backfill material shall consist of crushed limestone, provided by the applicant. Chickasaw County shall be given the opportunity to inspect the crossing before being backfilled. Open trenched crossings shall not be performed between October 1<sup>st</sup> and May 1<sup>st</sup> unless specifically authorized by the County Engineer.
3. Private tile shall not be permitted to be outlet into the road right-of-way ditch, unless specifically authorized by the County Engineer.
4. Chickasaw County shall be notified forty-eight (48) hours in advance of the start of drainage construction operations in the public right-of-way.

