Chickasaw Co. Recorder Cindy Messersmith Fee Book 2017-0020 01/04/2017 @0930AM SCC SEC COR CERT Book: Page: \$7.00 # Pages: 1

United States Public Land Survey Corner Certificate				
Land Survey Monument situated in Section 18, Township 94 North, Range 14 West of the Fifth Principal Meridian, Chickasaw County, Iowa. Not on file in the County Recorder's office.				
This certificate is being prepared in compliance with Iowa Code Chapter 355.11 because:		<ul> <li>☒ There is no certificate on file for this corner.</li> <li>☐ There are no longer three valid ties of record.</li> <li>☐ There are changes to reference ties of record.</li> <li>☐ There is change of monumentation of record.</li> </ul>		
Monument Description and Remarks:		To clarify description of record monu	ment (ties).	
Southwest Corner: Fd. Survey Mark Nail w/Stainless Steel Washer "IDOT" with information obtained from Iowa DOT Highway Plans Project No. NHSN-218-9(94)2R-19.				
Plan View				
(Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.)				
Sec. 18 T94N R14W  18    194.88'				
Southwest Corner of Section 18-94-14				
Fd. Survey Mark Nail w/Stainless Steel Washer "IDOT"				
was prepare performed b supervision Surveyor un Surveyor un Surveyor un Elicense num	ber 19211	k was sonal   Corner Section Tw	p. Range \$ 14	
	enewal date is December 31, red by this seal: Individual sh			
		, je (D. 1905) (Wd 1, 1 g		

File: S:\\_C3D

Project Number: 2016-142 FB: Nashua 1, Pg. 26

## FILED 2002-1930 RECORDER'S OFFICE CHICKASAW COUNTY, 10WA

2002 AUG 9 AM 8 57

OINDY MESSERSMITH COUNTY RECORDER

## TeKIPPE ENGINEERING, P.C., 128 South Vine Street, West Union, Iowa 52175 Phone (563) 422-5131 UNITED STATES PUBLIC LAND SURVEY CORNER CERTIFICATE 94 North, Range Land Survey Monuments situated in Section \_ , Township \_ CHICKASAW 14 West of the Fifth Principal Meridian, \_\_ County, Iowa, none in County Recorder's Office. Previously recorded in \_ (book, page, document number, etc.) (Show reason for preparing this certificate, the evidence and detailed procedures used in establishing the corner positions and monumentation found or placed.) Monument Description and Remarks: SW Corner NW 1/4 - SE 1/4 Section 18 T94N R14W: Found T-bar with stainless steel cap 5543 with information obtained from the Chickasaw County Engineer's Office in Field Book Bradford Twp. Corner Ties, Section 18, SW Corner Section 18 T94N R14W: Found hinge nail with information obtained from the Chickasaw County Engineer's Office in Field Book Bradford Twp. Corner Ties, Section 18, Corner 'H'. Project Number 02170.LS PLAN - VIEW FB. Nahsua 1 PG. 1 (Show a minimum of three reference ties to durable physical objects, relevant monuments and physical conditions that will enable recovery of the corner.) T94N R14W Bradford Twp. Floyd County Chickasaw County Section 13 T94N R15W Section 18 T94N R14W Bayou Orive A V0 Wabash Set 1/2"¢ rebor w/1½"¢ alum, cop TeKippe Eng. Control Point Found 1/2"¢ rebor w/12 s alum. cap Floyd Co. Land Corner Ref. Found X-no3s <u>66,19</u> 59.62 SM sige 79.32 Sample St. Iowa Hwy, 346 280th St. (Co. Rd. B60) 5.10 op of cu (2-typ.) Section Line -//-Ę Found 1/2°¢ rebar Found 1/2"₽ rebar w/1⅓°¢ alum. cap Floyd Co. Land Comer Ref. w/13"¢ alum. cap Flayd Co. Land Corner Ref. Section Floyd County Chickasaw County Section 24 Section 19 T94N R14W T94N\_R15W SW Corner Section 18 T94N R14W SW Corner NW 1/4 - SE 1/4 Section 18 T94N R14W Found T-bar w/stainless steel cap 5543 Found hinge nail List Corners to be Indexed I hereby certify that this land surveying document was prepared and the related survey work was performed by me or under my direct personal supervision and that I am a duly licensed Land Surveyor under the laws of the State of Iowa. Corners Section Range SW-NW-SE 18 94N 14W - Yaus R. Her 8-8-02 94N SW 18 14W Paul R. Herold Date License number 15526 8-13-02 -1/ed My license renewal date is December 31, 2002. Sheets covered by this seal: Individual X:\Section Corners\Sec. 18\18-94-14ru.dwg

## Chicks Saw County LAND SURVEY MONUMENT RECORD

	Sec /9 T 94 N R 14 W
All items to be completed. Please print or type.	2. Description of Evidence found and location. NW Cor.
. Type of Monument (check one)	
Section Corner	
Quarter Corner Other	
Description of monument and/or accessories established by you to perpetuate the location of this point.  Found corner and refield as in sketch at right.  D.Buss J. Deeny D. Mnosessan  Date of Field Work 8/29/75  Signed Anni Suga	4. Sketch showing relative location of monument and reference points. Show supporting and/or contradictory evidence where applicable.  Trem Pin in Cenc. post "X" Nails Pur polc "X" Nails "X"